*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
LABCORP HONG KONG	A global, phase 2 study of ARX788 in HER2-positive metastatic breast cancer patients whose disease is	Hong Kong United Oncology
SERVICES LIMITED	resistant or refractory to T-DM1, and/or T-DXd, and/or Tucatinib-containing regimens	Centre
PRA HEALTH SCIENCES (HONG	A long-term extension study to evaluate the safety of Filgotinib in subjects with Crohn's disease	Queen Mary Hospital
KONG) LIMITED		
PRA HEALTH SCIENCES (HONG	A long-term extension study to evaluate the safety of Filgotinib in subjects with Crohn's disease	Tuen Mun Hospital
KONG) LIMITED		
PRA HEALTH SCIENCES (HONG	A long-term extension study to evaluate the safety of Filgotinib in subjects with ulcerative colitis	Queen Mary Hospital
KONG) LIMITED		
PRA HEALTH SCIENCES (HONG	A long-term extension study to evaluate the safety of Filgotinib in subjects with ulcerative colitis	Prince of Wales Hospital
KONG) LIMITED		
PRA HEALTH SCIENCES (HONG	A long-term extension study to evaluate the safety of Filgotinib in subjects with ulcerative colitis	Princess Margaret Hospital
KONG) LIMITED		
IQVIA RDS HONG KONG	A multicenter, double-blind, randomized, placebo-controlled, phase II/III study to evaluate the efficacy,	Phase I Clinical Trial Centre, The
LIMITED	safety and pharmacokinetics of JT001 (VV116) for the early treatment of coronavirus disease 2019 (COVID-	Chinese University of Hong Kong
	19) in participants with mild to moderate COVID-19	
IQVIA RDS HONG KONG	A multicenter, double-blind, randomized, placebo-controlled, phase II/III study to evaluate the efficacy,	CUHK Medical Centre
LIMITED	safety and pharmacokinetics of JT001 (VV116) for the early treatment of coronavirus disease 2019 (COVID-	
	19) in participants with mild to moderate COVID-19	
MERCK SHARP & DOHME	A multicenter, open-label, phase III extension trial to study the long-term safety and efficacy in	Queen Mary Hospital
(ASIA) LTD.	participants with advanced tumors who are currently on treatment or in follow-up in a Pembrolizumab	
	trial	
HONGKONG TIGERMED CO.,	A multi-center, randomized, double-blinded, parallel and placebo-controlled phase III clinical study to	Prince of Wales Hospital
LIMITED	evaluate the efficacy and safety of PB-201 in Type 2 diabetic meltitus patients with poor glycemic control	(including Phase I Clinical Trial
	via Metformin hydrochloride monotherapy	Centre, The Chinese University of
		Hong Kong)
HONGKONG TIGERMED CO.,	A multi-center, randomized, double-blinded, parallel and placebo-controlled phase III clinical study to	Queen Mary Hospital (including
LIMITED	evaluate the efficacy and safety of PB-201 in Type 2 diabetic meltitus patients with poor glycemic control	Phase 1 Clinical Trials Centre, The
	via Metformin hydrochloride monotherapy	University of Hong Kong)
IQVIA RDS HONG KONG	A multi-center, randomized, double-blinded, parallel, Vildagliptin and placebo-controlled phase III clinical	Prince of Wales Hospital
LIMITED	study to evaluate the efficacy and safety of PB-201 in treatment-naïve patients with type 2 diabetes	(including Phase I Clinical Trial
	mellitus	Centre, The Chinese University of
		Hong Kong)

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
IQVIA RDS HONG KONG	A multi-center, randomized, double-blinded, parallel, Vildagliptin and placebo-controlled phase III clinical	Queen Mary Hospital (including
LIMITED	study to evaluate the efficacy and safety of PB-201 in treatment-naïve patients with type 2 diabetes	Phase 1 Clinical Trials Centre, The
	mellitus	University of Hong Kong)
NOVOTECH CLINICAL	A phase 1, double-blind, randomized, placebo-controlled, first-in-human study of subcutaneously	Queen Mary Hospital (including
RESEARCH (HONG KONG)	administered ALG-020572 to evaluate safety, tolerability, pharmacokinetics and pharmacodynamics after	Phase 1 Clinical Trials Centre, The
LIMITED	single ascending doses in healthy volunteers (Part 1) and multiple doses in subjects with chronic hepatitis B (Part 2)	University of Hong Kong)
LABCORP HONG KONG	A phase 1, first-in human study of ARB202, bispecific antibody to CDH17 and CD3 in advanced	Queen Mary Hospital (including
SERVICES LIMITED	gastrointestinal malignancies	Phase 1 Clinical Trials Centre, The
		University of Hong Kong)
RESEARCH PHARMACEUTICAL	, , , , , , , , , , , , , , , , , , , ,	Phase 1 Clinical Trials Centre, The
SERVICES, CLINICAL TRIALS	Tromethamine applied by continuous intravenous infusion from a pre-mixed bag) in healthy Chinese	University of Hong Kong
CENTRE, THE UNIVERSITY OF	subjects	
HONG KONG		
IQVIA RDS HONG KONG	A phase 1/1b/2 study evaluating the safety, tolerability, pharmacokinetics, pharmacodynamics, and	Queen Mary Hospital (including
LIMITED	efficacy of AMG 193 alone and in combination with Docetaxel in subjects with advanced MTAP-null solid	Phase 1 Clinical Trials Centre, The
	tumors	University of Hong Kong)
NOVOTECH CLINICAL	A phase 1/2 study of PBI-200 in subjects with NTRK-Fusion-Positive advanced or metastatic solid tumors	Prince of Wales Hospital
RESEARCH (HONG KONG)		(including Phase I Clinical Trial
LIMITED		Centre, The Chinese University of
		Hong Kong)
NOVOTECH CLINICAL	A phase 1/2 study of PBI-200 in subjects with NTRK-Fusion-Positive advanced or metastatic solid tumors	Queen Mary Hospital
RESEARCH (HONG KONG)		
LIMITED		
IQVIA RDS HONG KONG	A phase 1b/3 study of Bemarituzumab plus chemotherapy and Nivolumab versus chemotherapy and	Prince of Wales Hospital
LIMITED	Nivolumab alone in subjects with previously untreated advanced gastric and gastroesophageal junction cancer with FGFR2b overexpression (FORTITUDE-102)	
ICON CLINICAL RESEARCH	A phase 2 open-label extension study for subjects with prostate cancer who previously participated in an	Prince of Wales Hospital
HONG KONG LTD.	Enzalutamide clinical study	
PRA HEALTH SCIENCES (HONG	A phase 2 open-label study of Sacituzumab Govitecan (IMMU-132) in subjects with metastatic solid	Queen Elizabeth Hospital
KONG) LIMITED	tumors	

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
PRA HEALTH SCIENCES (HONG	A phase 2 open-label study of Sacituzumab Govitecan (IMMU-132) in subjects with metastatic solid	Prince of Wales Hospital
KONG) LIMITED	tumors	
PRA HEALTH SCIENCES (HONG	A phase 2 open-label study of Sacituzumab Govitecan (IMMU-132) in subjects with metastatic solid	Hong Kong Sanatorium &
KONG) LIMITED	tumors	Hospital, Ltd.
PRA HEALTH SCIENCES (HONG	A phase 2 open-label study of Sacituzumab Govitecan (IMMU-132) in subjects with metastatic solid	Queen Mary Hospital
KONG) LIMITED	tumors	
PRA HEALTH SCIENCES (HONG	A phase 2 open-label study of Sacituzumab Govitecan (IMMU-132) in subjects with metastatic solid	Hong Kong United Oncology
KONG) LIMITED	tumors	Centre
PRA HEALTH SCIENCES (HONG	A phase 2 open-label study of Sacituzumab Govitecan (IMMU-132) in subjects with metastatic solid	Hong Kong Integrated Oncology
KONG) LIMITED	tumors	Centre
LABCORP HONG KONG	A phase 2 study of BA3011 alone and in combination with Nivolumab in adult patients with metastatic	ICON Cancer Centre
SERVICES LIMITED	non-small cell lung cancer (NSCLC) who had prior disease progression on a PD-1/L-1, EGFR, or ALK inhibitor	
GILEAD SCIENCES HONG KONG	A phase 2 study of Magrolimab combination therapy in patients with head and neck squamous cell	Princess Margaret Hospital
LIMITED	carcinoma	
GILEAD SCIENCES HONG KONG	A phase 2 study of Magrolimab combination therapy in patients with head and neck squamous cell	Hong Kong Sanatorium &
LIMITED	carcinoma	Hospital, Ltd.
GILEAD SCIENCES HONG KONG	A Phase 2 Study of Magrolimab Combination Therapy in Patients with Unresectable, Locally Advanced or	Princess Margaret Hospital
LIMITED	Metastatic Triple-Negative Breast Cancer	
GILEAD SCIENCES HONG KONG	A Phase 2 Study of Magrolimab Combination Therapy in Patients with Unresectable, Locally Advanced or	Prince of Wales Hospital
LIMITED	Metastatic Triple-Negative Breast Cancer	
GILEAD SCIENCES HONG KONG	A phase 2, randomized, open-label study evaluating the safety and efficacy of Magrolimab in combination	Hong Kong United Oncology
LIMITED	with Bevacizumab and FOLFIRI versus Bevacizumab and FOLFIRI in previously treated advanced inoperable	Centre
	metastatic colorectal cancer (mCRC)	
GILEAD SCIENCES HONG KONG	A phase 2, randomized, open-label study evaluating the safety and efficacy of Magrolimab in combination	Hong Kong Integrated Oncology
LIMITED	with Bevacizumab and FOLFIRI versus Bevacizumab and FOLFIRI in previously treated advanced inoperable	Centre
	metastatic colorectal cancer (mCRC)	
GILEAD SCIENCES HONG KONG	A phase 2, randomized, open-label study evaluating the safety and efficacy of Magrolimab in combination	Queen Mary Hospital
LIMITED	with Bevacizumab and FOLFIRI versus Bevacizumab and FOLFIRI in previously treated advanced inoperable	
	metastatic colorectal cancer (mCRC)	
GLAXOSMITHKLINE LTD.	A phase 2, single-blinded, randomised, controlled multi-country study to evaluate the safety,	Queen Mary Hospital (including
		Phase 1 Clinical Trials Centre, The
	oligonucleotide (ASO) against chronic hepatitis B (CHB) followed by chronic hepatitis B targeted	University of Hong Kong)
	immunotherapy (CHB-TI) in CHB patients receiving nucleos(t)ide analogue (NA) therapy	

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
PAREXEL INTERNATIONAL (HONG KONG) COMPANY LIMITED	A phase 2/3 randomized, controlled, open-label study of KRT-232 in subjects with primary myelofibrosis (PMF), post-polycythemia vera MF (Post-PV-MF), or post-essential thrombocythemia MF (Post-ET-MF) who are relapsed or refractory to janus kinase (JAK) inhibitor treatment	Queen Mary Hospital
PAREXEL INTERNATIONAL (HONG KONG) COMPANY LIMITED	A phase 2/3 randomized, controlled, open-label study of KRT-232 in subjects with primary myelofibrosis (PMF), post-polycythemia vera MF (post-PV-MF), or post-essential Thrombocythemia MF (Post-ET-MF) who are relapsed or refractory to janus kinase (JAK) inhibitor treatment	Prince of Wales Hospital
GEORGE CLINICAL ASIA PACIFIC LIMITED	A phase 2/3, multicenter, open-label trial to evaluate the long-term safety, tolerability, and efficacy of Sibeprenlimab administered subcutaneously in subjects with immunoglobulin A nephropathy	Queen Mary Hospital
GEORGE CLINICAL ASIA PACIFIC LIMITED	A phase 2/3, multicenter, open-label trial to evaluate the long-term safety, tolerability, and efficacy of Sibeprenlimab administered subcutaneously in subjects with immunoglobulin A nephropathy	Princess Margaret Hospital
GEORGE CLINICAL ASIA PACIFIC LIMITED	A phase 2/3, multicenter, open-label trial to evaluate the long-term safety, tolerability, and efficacy of Sibeprenlimab administered subcutaneously in subjects with immunoglobulin A nephropathy	Tung Wah Hospital
GEORGE CLINICAL ASIA PACIFIC LIMITED	A phase 2/3, multicenter, open-label trial to evaluate the long-term safety, tolerability, and efficacy of Sibeprenlimab administered subcutaneously in subjects with immunoglobulin A nephropathy	Yan Chai Hospital
PPD DEVELOPMENT (HK) LIMITED	A phase 2/3, randomized, open-label study to compare Bempegaldesleukin combined with Pembrolizumab versus Pembrolizumab alone in first-line treatment of patients with metastatic or recurrent head and neck squamous-cell carcinoma with PD-L1 expressing tumors (PROPEL-36)	Queen Mary Hospital
GILEAD SCIENCES HONG KONG LIMITED	A phase 2a, open-label study to evaluate the safety and efficacy of Selgantolimod (SLGN)-containing combination therapies for the treatment of chronic hepatitis B (CHB)	Queen Mary Hospital (including Phase 1 Clinical Trials Centre, The University of Hong Kong)
NOVOTECH CLINICAL RESEARCH (HONG KONG) LIMITED	A phase 2a, randomized, blinded, multicenter study investigating a combination of AB-729 and VTP-300 in virologically-suppressed chronic hepatitis B participants	Queen Mary Hospital (including Phase 1 Clinical Trials Centre, The University of Hong Kong)
Dr. LAU M.C. Edith	A phase 2a, randomized, double-blind, placebo-controlled trial of the efficacy and safety of LEVI-04 in patients with osteoarthritis of the knee	Hong Kong Center for Clinical Research

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
NOVOTECH CLINICAL RESEARCH (HONG KONG) LIMITED	A phase 2b, open-label study to evaluate the efficacy, safety, tolerability, immunogenicity and treatment regimens of VTP-300 combined with low-dose Nivolumab in chronic hepatitis B infection	Queen Mary Hospital (including Phase 1 Clinical Trials Centre, The University of Hong Kong)
MERCK SHARP & DOHME (ASIA) LTD.	A phase 3 multicenter, randomized, double-blinded, active-controlled, clinical study to evaluate the safety and efficacy of Lenvatinib (E7080/MK-7902) with Pembrolizumab (MK-3475) in combination with transarterial chemoembolization (TACE) versus TACE in participants with incurable/non-metastatic hepatocellular carcinoma (LEAP-012)	Queen Mary Hospital
MERCK SHARP & DOHME (ASIA) LTD.	A phase 3 multicenter, randomized, double-blinded, active-controlled, clinical study to evaluate the safety and efficacy of Lenvatinib (E7080/MK-7902) with Pembrolizumab (MK-3475) in combination with transarterial chemoembolization (TACE) versus TACE in participants with incurable/non-metastatic hepatocellular carcinoma (LEAP-012)	Prince of Wales Hospital
PAREXEL INTERNATIONAL (HONG KONG) COMPANY LIMITED	A phase 3 multinational, randomized, double-blind, placebo-controlled systemic gene delivery study to evaluate the safety and efficacy of SRP-9001 in subjects with Duchenne muscular dystrophy (EMBARK)	Hong Kong Children's Hospital
MEDPACE HONG KONG LTD	A phase 3 study of the hepcidin mimetic rusfertide (PTG-300) in patients with polycythemia vera	Queen Mary Hospital
NOVOTECH CLINICAL RESEARCH (HONG KONG) LIMITED	A phase 3, multicenter, randomized, double-blind, placebo-controlled trial comparing the efficacy and safety of Tafasitamab plus Lenalidomide in addition to R-CHOP versus R-CHOP in previously untreated, high-intermediate and high-risk patients with newly-diagnosed diffuse large B-cell lymphoma (DLBCL)	Prince of Wales Hospital
NOVOTECH CLINICAL RESEARCH (HONG KONG) LIMITED	A phase 3, multicenter, randomized, double-blind, placebo-controlled trial comparing the efficacy and safety of Tafasitamab plus Lenalidomide in addition to R-CHOP versus R-CHOP in previously untreated, high-risk patients with newly-diagnosed diffuse large B-cell lymphoma (DLBCL)	Hong Kong United Oncology Centre
NOVOTECH CLINICAL RESEARCH (HONG KONG) LIMITED	A phase 3, multicenter, randomized, double-blind, placebo-controlled trial comparing the efficacy and safety of Tafasitamab plus Lenalidomide in addition to R-CHOP versus R-CHOP in previously untreated, high-risk patients with newly-diagnosed diffuse large B-cell lymphoma (DLBCL)	Princess Margaret Hospital
GEORGE CLINICAL ASIA PACIFIC LIMITED	A phase 3, multicenter, randomized, double-blind, placebo-controlled trial to evaluate the efficacy and safety of Sibeprenlimab administered subcutaneously in subjects with Immunoglobulin A nephropathy	Princess Margaret Hospital
GEORGE CLINICAL ASIA PACIFIC LIMITED	A phase 3, multicenter, randomized, double-blind, placebo-controlled trial to evaluate the efficacy and safety of Sibeprenlimab administered subcutaneously in subjects with Immunoglobulin A nephropathy	Prince of Wales Hospital

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
GEORGE CLINICAL ASIA	A phase 3, multicenter, randomized, double-blind, placebo-controlled trial to evaluate the efficacy and	Yan Chai Hospital
PACIFIC LIMITED	safety of Sibeprenlimab administered subcutaneously in subjects with Immunoglobulin A nephropathy	
GEORGE CLINICAL ASIA	A phase 3, multicenter, randomized, double-blind, placebo-controlled trial to evaluate the efficacy and	Queen Mary Hospital
PACIFIC LIMITED	safety of Sibeprenlimab administered subcutaneously in subjects with Immunoglobulin A nephropathy	
GEORGE CLINICAL ASIA	A phase 3, multicenter, randomized, double-blind, placebo-controlled trial to evaluate the efficacy and	Tung Wah Hospital
PACIFIC LIMITED	safety of Sibeprenlimab administered subcutaneously in subjects with Immunoglobulin A nephropathy	
-	A phase 3, open-label, randomized study of Amivantamab and Lazertinib in combination with Platinum-	Queen Mary Hospital
KONG) LTD.	based chemotherapy compared with Platinum-based chemotherapy in patients with EGFR-mutated locally advanced or metastatic non-small cell lung cancer after Osimertinib failure (MARIPOSA-2)	
NOVOTECH CLINICAL	A phase 3, randomized, double-blind, active-control study of Pelabresib (CPI-0610) and Ruxolitinib vs.	Queen Mary Hospital
RESEARCH (HONG KONG)	placebo and Ruxolitinib in JAKi treatment naive MF patients	
LIMITED		
NOVOTECH CLINICAL	A phase 3, randomized, double-blind, active-control study of Pelabresib (CPI-0610) and Ruxolitinib vs.	Princess Margaret Hospital
RESEARCH (HONG KONG) LIMITED	placebo and Ruxolitinib in JAKi treatment naive MF patients	
NOVOTECH CLINICAL	A phase 3, randomized, double-blind, active-control study of Pelabresib (CPI-0610) and Ruxolitinib vs.	Prince of Wales Hospital
RESEARCH (HONG KONG) LIMITED	placebo and Ruxolitinib in JAKi treatment native MF patients	·
GILEAD SCIENCES HONG KONG	A phase 3, randomized, double-blind, placebo-controlled study evaluating the safety and efficacy of	Queen Mary Hospital
LIMITED	Magrolimab versus placebo in combination with Venetoclax and Azacitidine in newly diagnosed,	
	previously untreated patients with acute myeloid leukemia who are ineligible for intensive chemotherapy	
GILEAD SCIENCES HONG KONG	A phase 3, randomized, double-blind, placebo-controlled study evaluating the safety and efficacy of	Tuen Mun Hospital
LIMITED	Magrolimab versus placebo in combination with Venetoclax and Azacitidine in newly diagnosed,	
	previously untreated patients with acute myeloid leukemia who are ineligible for intensive chemotherapy	
GILEAD SCIENCES HONG KONG	A phase 3, randomized, double-blind, placebo-controlled study evaluating the safety and efficacy of	Princess Margaret Hospital
LIMITED	Magrolimab versus placebo in combination with Venetoclax and Azacitidine in newly diagnosed,	
	previously untreated patients with acute myeloid leukemia who are ineligible for intensive chemotherapy	

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
GILEAD SCIENCES HONG KONG LIMITED	A phase 3, randomized, double-blind, placebo-controlled study evaluating the safety and efficacy of Magrolimab versus placebo in combination with Venetoclax and Azacitidine in newly diagnosed, previously untreated patients with acute myeloid leukemia who are ineligible for intensive chemotherapy	Prince of Wales Hospital
PAREXEL INTERNATIONAL (HONG KONG) COMPANY LIMITED	A phase 3, randomized, double-blind, placebo-controlled, multicenter study to assess the efficacy and safety of KBP-5074, a mineralocorticoid receptor antagonist, in subjects with uncontrolled hypertension who have moderate or severe (Stage 3b/4) chronic kidney disease	Tung Wah Hospital
PAREXEL INTERNATIONAL (HONG KONG) COMPANY LIMITED	A phase 3, randomized, double-blind, placebo-controlled, multicenter study to assess the efficacy and safety of KBP-5074, a mineralocorticoid receptor antagonist, in subjects with uncontrolled hypertension who have moderate or severe (Stage 3b/4) chronic kidney disease	Queen Mary Hospital
SYNEOS HEALTH HONG KONG LIMITED	A phase 3, randomized, open-label study of Lorlatinib (PF-06463922) monotherapy versus Crizotinib monotherapy in the first-line treatment of patients with advanced ALK-positive non-small cell lung cancer	Tuen Mun Hospital
SYNEOS HEALTH HONG KONG LIMITED	A phase 3, randomized, open-label study of Lorlatinib (PF-06463922) monotherapy versus Crizotinib monotherapy in the first-line treatment of patients with advanced ALK-positive non-small cell lung cancer	Queen Mary Hospital
CMIC ASIA-PACIFIC (HONG KONG) LIMITED	A phase 3, randomized, placebo-controlled, double-blind study of Vimseltinib to assess the efficacy and safety in patients with tenosynovial giant cell tumor (MOTION)	Prince of Wales Hospital
JOHNSON & JOHNSON (HONG KONG) LTD.	A phase 4, multicenter, randomized, double-blind, placebo-controlled study evaluating the efficacy and safety of Guselkumab administered subcutaneously in bio-naïve participants with active psoriatic arthritis axial disease	Prince of Wales Hospital
PAREXEL INTERNATIONAL (HONG KONG) COMPANY LIMITED	A phase I, open-label, multi-center study of KFA115 as a single agent and in combination with Tislelizumab in patients with select advanced cancers	Prince of Wales Hospital (including Phase I Clinical Trial Centre, The Chinese University of Hong Kong)
PAREXEL INTERNATIONAL (HONG KONG) COMPANY LIMITED	A phase Ib/II open label dose confirmation, proof of concept study of Siremadlin in combination with Venetoclax plus Azacitidine in unfit adult AML participants who responded sub-optimally to first-line Venetoclax plus Azacitidine treatment and in participants with newly diagnosed unfit AML presenting with high-risk clinical features	Queen Mary Hospital
PAREXEL INTERNATIONAL (HONG KONG) COMPANY LIMITED	A phase Ib/II, multicenter, open-label study of EGF816 in combination with INC280 in adult patients with EGFR mutated non-small cell lung cancer	Queen Mary Hospital
Dr. LEUNG Y.H. Anskar	A phase II single-arm open-labeled study evaluating combination of Quizartinib and Omacetaxine mepesuccinate (QUIZOM) in newly diagnosed or relapsed/refractory AML carrying FLT3-ITD	Queen Mary Hospital

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
PAREXEL INTERNATIONAL	A phase II, open-label, non-controlled, intra-patient dose-escalation study to characterize the	Prince of Wales Hospital
(HONG KONG) COMPANY	pharmacokinetics after oral administration of Eltrombopag in pediatric patients with refractory, relapsed	
LIMITED	or treatment naïve severe aplastic anemia or recurrent aplastic anemia	
LABCORP HONG KONG	A phase II, randomized, adaptive, open-label platform trial to evaluate efficacy and safety of multiple	Queen Mary Hospital
SERVICES LIMITED	combination therapies in participants with chronic hepatitis B	
ROCHE HONG KONG LIMITED	A phase II/III, randomized, double blind, placebo controlled study of Tiragolumab in combination with	Hong Kong United Oncology
	Atezolizumab plus Pemetrexed and Carboplatin/Cisplatin versus Pembrolizumab plus Pemetrexed and	Centre
	Carboplatin/Cisplatin in patients with previously untreated advanced non-squamous non-small-cell lung	
	cancer	
PPD DEVELOPMENT (HK)	A phase IIb, randomized, double-blind, placebo-controlled, multicenter study to evaluate the efficacy and	Tuen Mun Hospital
LIMITED	safety of Astegolimab in patients with chronic obstructive pulmonary disease	
SINOVAC BIOTECH (HONG	A phase IIb, randomized, double-blinded trial to evaluate the immunogenicity and safety study of the	Gleneagles Hospital Hong Kong
KONG) LTD	booster dose using the high or medium dose of COVID-19 vaccine (vero cell), inactivated in healthy adults	
	who have completed two doses of mRNA vaccine in Hong Kong	
SINOVAC BIOTECH (HONG	A phase IIb, randomized, open-labeled trial to evaluate the immunogenicity and safety of one or two	Gleneagles Hospital Hong Kong
KONG) LTD	doses of booster vaccine with the COVID-19 vaccine (Vero Cell), inactivated, Omicron strain in adults	
	above 18 years old who have completed two or three doses of mRNA vaccine or CoronaVac® in Hong Kong	
MERCK SHARP & DOHME	A phase III randomized double-blind study of Pembrolizumab plus best supportive care vs. placebo plus	Pamela Youde Nethersole
(ASIA) LTD.	best supportive care as second-line therapy in Asian subjects with previously systemically treated	Eastern Hospital
	advanced hepatocellular carcinoma (KEYNOTE-394)	
MERCK SHARP & DOHME	A phase III randomized double-blind study of Pembrolizumab plus best supportive care vs. placebo plus	Princess Margaret Hospital
(ASIA) LTD.	best supportive care as second-line therapy in Asian subjects with previously systemically treated	
	advanced hepatocellular carcinoma (KEYNOTE-394)	
PAREXEL INTERNATIONAL	A phase III randomized, controlled, open-label, multicenter, global study of Capmatinib in combination	Hong Kong Integrated Oncology
(HONG KONG) COMPANY	with Osimertinib versus platinum-Pemetrexed based doublet chemotherapy in patients with locally	Centre
LIMITED	advanced or metastatic NSCLC harboring EGFR activating mutations who have progressed on prior	
	1st/2nd generation EGFR-TKI or Osimertinib therapy and whose tumors are T790M mutation negative and	
	harbor MET amplification (GEOMETRY-E)	
PAREXEL INTERNATIONAL	A phase III randomized, controlled, open-label, multicenter, global study of Capmatinib in combination	Queen Mary Hospital
(HONG KONG) COMPANY	with Osimertinib versus Platinum-Pemetrexed based doublet chemotherapy in patients with locally	
LIMITED	advanced or metastatic NSCLC harboring EGFR activating mutations who have progressed on prior	
	1st/2nd generation EGFR-TKI or Osimertinib therapy and whose tumors are T790M mutation negative and	
	harbor MET amplification (GEOMETRY-E)	

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
PAREXEL INTERNATIONAL	A phase III randomized, controlled, open-label, multicenter, global study of Capmatinib in combination	Queen Elizabeth Hospital
HONG KONG) COMPANY	with Osimertinib versus Platinum-Pemetrexed based doublet chemotherapy in patients with locally	
IMITED	advanced or metastatic NSCLC harboring EGFR activating mutations who have progressed on prior	
	1st/2nd generation EGFR-TKI or Osimertinib therapy and whose tumors are T790M mutation negative and	
	harbor MET amplification (GEOMETRY-E)	
ABCORP HONG KONG	A phase III, open label, randomised, 3-arm, multi-centre study of Savolitinib plus Durvalumab versus	Prince of Wales Hospital
ERVICES LIMITED	Sunitinib and Durvalumab monotherapy in participants with MET-driven, unresectable and locally	
	advanced or metastatic papillary renal cell carcinoma (PRCC) (SAMETA)	
AYER HEALTHCARE LIMITED	A phase III, randomized, double-blind, controlled, multicenter study of intravenous PI3K inhibitor	Prince of Wales Hospital
	Copanlisib in combination with standard immunochemotherapy versus standard immunochemotherapy in	
	patients with relapsed indolent non-Hodgkin's lymphoma (iNHL) - CHRONOS-4	
PD DEVELOPMENT (HK)	A phase III, randomized, open-label, multicenter study evaluating the efficacy and safety of adjuvant	Pamela Youde Nethersole
MITED	Giredestrant compared with physician's choice of adjuvant endocrine monotherapy in patients with	Eastern Hospital
	estrogen receptor-positive, HER2-negative early breast cancer	
PD DEVELOPMENT (HK)	A phase III, randomized, open-label, multicenter study evaluating the efficacy and safety of adjuvant	UNIMED Medical Institute
MITED	Giredestrant compared with physician's choice of adjuvant endocrine monotherapy in patients with	
	estrogen receptor-positive, HER2-negative early breast cancer	
OCHE HONG KONG LIMITED	A phase IIIB, multicenter, randomized, visual assessor-masked study of the effectiveness and safety of a 36-	Hong Kong Eye Hospital
	week refill regimen for the port delivery system with Ranibizumab vs Aflibercept treat & extend in	
	subjects with neovascular age-related macular degeneration (Diagrid)	
OCHE HONG KONG LIMITED	A phase IIIB, multicenter, randomized, visual assessor-masked study of the effectiveness and safety of a 36-	Grantham Hospital
	week refill regimen for the port delivery system with Ranibizumab vs Aflibercept treat & extend in	
	subjects with neovascular age-related macular degeneration (Diagrid)	
OCHE HONG KONG LIMITED	A phase I-III, multicenter study evaluating the efficacy and safety of multiple therapies in cohorts of	Queen Mary Hospital
	patients selected according to biomarker status, with locally advanced, unresectable, stage III non-small	
	cell lung cancer	
IERCK SHARP & DOHME	A pivotal phase 3 randomized, placebo-controlled clinical study to evaluate the efficacy and safety of the	Grantham Hospital
ASIA) LTD.	sGC stimulator Vericiguat/MK-1242 in adults with chronic heart failure with reduced ejection fraction	
IERCK SHARP & DOHME	A pivotal phase 3 randomized, placebo-controlled clinical study to evaluate the efficacy and safety of the	Queen Mary Hospital
ASIA) LTD.	sGC stimulator Vericiguat/MK-1242 in adults with chronic heart failure with reduced ejection fraction	

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
MERCK SHARP & DOHME	A pivotal phase 3 randomized, placebo-controlled clinical study to evaluate the efficacy and safety of the	Prince of Wales Hospital
(ASIA) LTD.	sGC stimulator Vericiguat/MK-1242 in adults with chronic heart failure with reduced ejection fraction	
MERCK SHARP & DOHME	A pivotal phase 3 randomized, placebo-controlled clinical study to evaluate the efficacy and safety of the	Princess Margaret Hospital
(ASIA) LTD.	sGC stimulator Vericiguat/MK-1242 in adults with chronic heart failure with reduced ejection fraction	
IQVIA RDS HONG KONG	A pivotal phase 3, multicenter, randomized, double-blind, placebo-controlled study of the efficacy and	Pok Oi Hospital
LIMITED	safety of DMX-200 in patients with focal segmental glomerulosclerosis (FSGS) who are receiving an angiotensin II receptor blocker (ARB)	
IQVIA RDS HONG KONG	A pivotal phase 3, multicenter, randomized, double-blind, placebo-controlled study of the efficacy and	Princess Margaret Hospital
LIMITED	safety of DMX-200 in patients with focal segmental glomerulosclerosis (FSGS) who are receiving an angiotensin II receptor blocker (ARB)	
IQVIA RDS HONG KONG	A pivotal phase 3, multicenter, randomized, double-blind, placebo-controlled study of the efficacy and	Queen Mary Hospital
LIMITED	safety of DMX-200 in patients with focal segmental glomerulosclerosis (FSGS) who are receiving an	
	angiotensin II receptor blocker (ARB)	
PAREXEL INTERNATIONAL	A post-trial access roll-over study to allow access to Ribociclib (LEE011) for patients who are on Ribociclib	Queen Mary Hospital
(HONG KONG) COMPANY	treatment in Novartis-sponsored study	
LIMITED		
Dr. KO K.Y. Jennifer	A prospective cohort on use of Letrozole in ectopic pregnancies treated with intralesional Methotrexate	Queen Mary Hospital
Dr. KARMAKAR Manoj Kumar	A prospective randomized comparison of the effects of Lidocaine and Levobupivacaine on block dynamics	Prince of Wales Hospital
	after a subparaneural popliteal sciatic nerve block	
	A prospective, multi-centre study (B-Sure) to evaluate long-term durability of sustained virologic response	Queen Mary Hospital
LIMITED	in chronic hepatitis B participants with and without nucleos(t)ide therapy who have received and	
	responded to GSK3228836 in a previous treatment study	
· ·	A randomized open-label phase III study of Sacituzumab Govitecan versus treatment of physician's choice	Hong Kong United Oncology
KONG) LIMITED	in subjects with Metastatic or locally advanced unresectable urothelial cancer	Centre
-	A randomized open-label phase III study of Sacituzumab Govitecan versus treatment of physician's choice	Prince of Wales Hospital
KONG) LIMITED	in subjects with metastatic or locally advanced unresectable urothelial cancer	
	A randomized open-label phase III study of Sacituzumab Govitecan versus treatment of physician's choice	Tuen Mun Hospital
KONG) LIMITED	in subjects with Metastatic or locally advanced unresectable urothelial cancer	
PRA HEALTH SCIENCES (HONG	A randomized phase 3 study of MRTX849 in combination with Cetuximab versus chemotherapy in patients	Hong Kong Integrated Oncology
KONG) LIMITED	with advanced colorectal cancer with KRAS G12C mutation with disease progression on or after standard	Centre
	first-line therapy	

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
PRA HEALTH SCIENCES (HONG		Prince of Wales Hospital
KONG) LIMITED	cell lung cancer with KRAS G12C Mutation	
BRISTOL-MYERS SQUIBB	A randomized phase 3 study of Nivolumab plus Ipilimumab or Nivolumab combined with Fluorouracil plus	Princess Margaret Hospital
PHARMA (HK) LIMITED	Cisplatin versus Fluorouracil plus Cisplatin in subjects with unresectable advanced, recurrent or metastatic	
	previously untreated esophageal squamous cell carcinoma	
PPD DEVELOPMENT (HK)		Queen Mary Hospital (including
LIMITED	and antiviral activity of ABI-H3733 in subjects with chronic hepatitis B virus infection	Phase 1 Clinical Trials Centre, The
		University of Hong Kong)
GILEAD SCIENCES HONG KONG	A randomized, double-blind evaluation of the pharmacokinetics, safety, and antiviral efficacy of Tenofovir	Prince of Wales Hospital
LIMITED	Alafenamide (TAF) in children and adolescent subjects with chronic hepatitis B virus infection	
PAREXEL INTERNATIONAL	A randomized, double-blind, double-dummy, parallel-group study, comparing the efficacy and safety of	Prince of Wales Hospital
(HONG KONG) COMPANY	Remibrutinib versus Teriflunomide in participants with relapsing multiple sclerosis, followed by extended	
LIMITED	treatment with open-label Remibrutinib	
Dr. LAU M.C. Edith	A randomized, double-blind, international multicenter, parallel-controlled phase III clinical study to	Hong Kong Center for Clinical
	evaluate recombinant anti-RANKL human monoclonal antibody injection (HLX14) versus Denosumab	Research
	injection (Prolia) in postmenopausal women with osteoporosis at high risk of fracture	
NOVOTECH CLINICAL	A randomized, double-blind, multicenter, placebo-controlled, parallel-group study to evaluate the	Prince of Wales Hospital
RESEARCH (HONG KONG)	efficacy, safety, and tolerability of oral BCX9930 monotherapy for the treatment of paroxysmal nocturnal	
LIMITED	hemoglobinuria	
PAREXEL INTERNATIONAL	A randomized, double-blind, parallel group, placebo-controlled, multicenter phase 3 trial to evaluate the	United Christian Hospital
(HONG KONG) COMPANY	efficacy, safety and tolerability of lanalumab on top of standard-of-care therapy in participants with active	
LIMITED	lupus nephritis (SIRU-IUS-LN)	
PAREXEL INTERNATIONAL	A randomized, double-blind, parallel group, placebo-controlled, multicenter phase 3 trial to evaluate the	Tuen Mun Hospital
(HONG KONG) COMPANY	efficacy, safety and tolerability of lanalumab on top of standard-of-care therapy in participants with active	·
LIMITED	lupus nephritis (SIRU-IUS-LN)	
MERCK SHARP & DOHME	A randomized, double-blind, placebo-controlled phase III clinical trial of Pembrolizumab (MK-3475) in	Queen Mary Hospital
(ASIA) LTD.	combination with Cisplatin and 5-fluorouracil versus placebo in Fluorouracil as first-ling treatment in	
	subjects with advanced/metastatic esophageal carcinoma (KEYNOTE-590)	
BAYER HEALTHCARE LIMITED	A randomized, double-blind, placebo-controlled, parallel-group, multicenter phase 3 study to investigate	Princess Margaret Hospital
	the efficacy and safety of Finerenone, in addition to standard of care, on the progression of kidney disease	
	in patients with non-diabetic chronic kidney disease	

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
RESEARCH PHARMACEUTICAL	A randomized, double-blinded, cohort clinical study on evaluating the safety and immunogenicity of	Community Vaccination Centre
SERVICES, CLINICAL TRIALS	sequential immunization of two doses of BIBP inactivated COVID-19 vaccine (Omicron), WIBP inactivated	(Sun Yat Sen Memorial Park
CENTRE, THE UNIVERSITY OF	COVID-19 vaccine (Omicron) or inactivated COVID-19 vaccine (prototype) in population aged 18 years and	Sports Centre)
HONG KONG	above who have completed two or three doses of inactivated or mRNA vaccine	
RESEARCH PHARMACEUTICAL	A randomized, double-blinded, placebo-controlled study to evaluate the safety and immunogenicity of	Phase 1 Clinical Trials Centre, The
SERVICES, CLINICAL TRIALS	DelNS1-2019-nCoV-RBD-OPT1 as booster vaccine for COVID-19 in healthy adults who have received 2 or 3	University of Hong Kong
CENTRE, THE UNIVERSITY OF HONG KONG	doses of BNT162b2	
NOVOTECH CLINICAL	A randomized, open-label, multicenter, parallel-group study to evaluate the efficacy, safety, and	Prince of Wales Hospital
RESEARCH (HONG KONG)	tolerability of oral BCX9930 monotherapy for the treatment of paroxysmal nocturnal hemoglobinuria in	
LIMITED	subjects with inadequate response to C5 inhibitor therapy	
NOVOTECH CLINICAL	A randomized, open-label, multicenter, parallel-group study to evaluate the efficacy, safety, and	Queen Mary Hospital (including
RESEARCH (HONG KONG)	tolerability of oral BCX9930 monotherapy for the treatment of paroxysmal nocturnal hemoglobinuria in	Phase 1 Clinical Trials Centre, The
LIMITED	subjects with inadequate response to C5 inhibitor therapy	University of Hong Kong)
IQVIA RDS HONG KONG	A randomized, open-label, phase 3 study of Abemaciclib combined with standard adjuvant endocrine	Queen Mary Hospital
LIMITED	therapy versus standard adjuvant endocrine therapy alone in patients with high risk, node positive, early	
	stage, hormone receptor positive, human epidermal receptor 2 negative, breast cancer	
IQVIA RDS HONG KONG	A randomized, open-label, phase 3 study of Abemaciclib combined with standard adjuvant endocrine	Tuen Mun Hospital
LIMITED	therapy versus standard adjuvant endocrine therapy alone in patients with high risk, node positive, early	
	stage, hormone receptor positive, human epidermal receptor 2 negative, breast cancer	
GILEAD SCIENCES HONG KONG	A randomized, open-label, phase 3 study of Sacituzumab Govitecan and Pembrolizumab versus treatment	Hong Kong Sanatorium &
LIMITED	of physician's choice and Pembrolizumab in patients with previously untreated, locally advanced,	Hospital, Ltd.
	inoperable, or metastatic triple-negative breast cancer, whose tumors express PD-L1	
GILEAD SCIENCES HONG KONG	A randomized, open-label, phase 3 study of Sacituzumab govitecan and Pembrolizumab versus treatment	Prince of Wales Hospital
LIMITED	of physician's choice and Pembrolizumab in patients with previously untreated, locally advanced,	
	inoperable, or metastatic triple-negative breast cancer, whose tumors express PD-L1	
GILEAD SCIENCES HONG KONG	A randomized, open-label, phase 3 study of Sacituzumab Govitecan and Pembrolizumab versus treatment	Queen Mary Hospital
LIMITED	of physician's choice and Pembrolizumab in patients with previously untreated, locally advanced,	
	inoperable, or metastatic triple-negative breast cancer, whose tumors express PD-L1	

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
SYNEOS HEALTH HONG KONG	A randomized, open-label, phase 3 trial of Dato-DXd plus Pembrolizumab vs Pembrolizumab alone in	Queen Elizabeth Hospital
LIMITED	treatment-naive subjects with advanced or metastatic PD-L1 high (TPS ≥ 50%) non-small cell lung cancer	
	without actionable genomic alterations (Tropion-Lung08)	
SYNEOS HEALTH HONG KONG	A randomized, open-label, phase 3 trial of Dato-DXd plus Pembrolizumab vs Pembrolizumab alone in	Queen Mary Hospital
LIMITED	treatment-naïve subjects with advanced or metastatic PD-L1 high (TPS ≥ 50%) non-small cell lung cancer	
	without actionable genomic alterations (Tropion-Lung08)	
PAREXEL INTERNATIONAL	A single-arm, open-label, phase II study of Sabatolimab in combination with Azacitidine and Venetoclax in	Queen Mary Hospital
(HONG KONG) COMPANY	adult participants with high or very high risk myelodysplastic syndrome (MDS) as per IPSS-R criteria	
LIMITED		
Dr. SINGH G.H. Harry	A study to explore allelic burden of genes under P1101 treatment in the patients who have previously	Queen Mary Hospital
	participated in the P1101 ET study (SURPASS ET)	
PAREXEL INTERNATIONAL	An adaptive, randomized, double-blind, dose exploration, parallel group, placebo-controlled, multicenter	Queen Mary Hospital
(HONG KONG) COMPANY	phase 2 trial to evaluate the efficacy, safety and tolerability of LNP023 in combination with standard-of-	
LIMITED	care with and without oral corticosteroids in adult patients with active lupus nephritis class III-IV, +/- V	
BAYER HEALTHCARE LIMITED	An open label, first-in-human study of BAY 2927088 in participants with advanced non-small cell lung	Prince of Wales Hospital
	cancer (NSCLC) harboring an EGFR and/or HER2 mutation	(including Phase I Clinical Trial
		Centre, The Chinese University of
		Hong Kong)
CMIC ASIA-PACIFIC (HONG	An open label, randomised phase 2 study to evaluate the safety and efficacy of MTL-CEBPA administered	Queen Mary Hospital
KONG) LIMITED	in combination with Sorafenib or Sorafenib alone in TKI naïve participants with previously treated	
	advanced hepatocellular carcinoma (HCC) and hepatitis B or hepatitis C virus (OUTREACH2)	
CMIC ASIA-PACIFIC (HONG	An open label, randomised phase 2 study to evaluate the safety and efficacy of MTL-CEBPA administered	Prince of Wales Hospital
KONG) LIMITED	in combination with Sorafenib or Sorafenib alone in TKI naïve participants with previously treated	
	advanced hepatocellular carcinoma (HCC) and hepatitis B or hepatitis C virus (OUTREACH2)	
Dr. HUNG F.N. Ivan	An open-label randomized controlled trial on Bismuth Subsalicylate/ N-acetyl-cysteine compared with	Queen Mary Hospital
	Molnupiravir for hospitalized COVID-19 infection	
NOVOTECH CLINICAL	An open-label, multicenter phase 1b/2 study of Nanatinostat and Valganciclovir in patients with advanced	Prince of Wales Hospital
RESEARCH (HONG KONG)	Epstein-Barr virus-positive (EBV+) solid tumors and in combination with Pembrolizumab in patients with	(including Phase I Clinical Trial
LIMITED	recurrent/metastatic nasopharyngeal carcinoma	Centre, The Chinese University of
		Hong Kong)

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
NOVOTECH CLINICAL	An open-label, multicenter phase 1b/2 study of Nanatinostat and Valganciclovir in patients with advanced	Queen Mary Hospital (including
RESEARCH (HONG KONG)	Epstein-Barr virus-positive (EBV+) solid tumors and in combination with Pembrolizumab in patients with	Phase 1 Clinical Trials Centre, The
LIMITED	recurrent/metastatic nasopharyngeal carcinoma	University of Hong Kong)
GILEAD SCIENCES HONG KONG	An open-label, multicenter, phase 2 study of Sacituzumab Govitecan combinations in first-line treatment	Prince of Wales Hospital
LIMITED	of patients with advanced or metastatic non-small-cell lung cancer (NSCLC) without actionable genomic alterations	
GILEAD SCIENCES HONG KONG	An open-label, multicenter, phase 2 study of Sacituzumab Govitecan combinations in first-line treatment	Queen Mary Hospital
LIMITED	of patients with advanced or metastatic non-small-cell lung cancer (NSCLC) without actionable genomic alterations	
GILEAD SCIENCES HONG KONG LIMITED	An open-label, multicenter, phase 2 study of Sacituzumab Govitecan combinations in first-line treatment of patients with advanced or metastatic non-small-cell lung cancer (NSCLC) without actionable genomic alterations	Queen Elizabeth Hospital
GILEAD SCIENCES HONG KONG	An open-label, multicenter, phase 2 study of Sacituzumab Govitecan combinations in first-line treatment	Hong Kong United Oncology
LIMITED	of patients with advanced or metastatic non-small-cell lung cancer (NSCLC) without actionable genomic alterations	Centre
ASTRAZENECA HONG KONG	An open-label, randomized, multicenter, phase 3 study to assess the efficacy and safety of Trastuzumab	Tuen Mun Hospital
LIMITED	deruxtecan as first-line treatment of unresectable, locally advanced, or metastatic NSCLC harboring HER2	
	exon 19 or 20 mutations (DESTINY-Lung04)	
ASTRAZENECA HONG KONG	An open-label, randomized, multicenter, phase 3 study to assess the efficacy and safety of Trastuzumab	Queen Mary Hospital
LIMITED	deruxtecan as first-line treatment of unresectable, locally advanced, or metastatic NSCLC harboring HER2 exon 19 or 20 mutations (DESTINY-Lung04)	
ASTRAZENECA HONG KONG	An open-label, randomized, multicenter, phase 3 study to assess the efficacy and safety of Trastuzumab	Hong Kong Integrated Oncology
LIMITED	deruxtecan as first-line treatment of unresectable, locally advanced, or metastatic NSCLC harboring HER2	Centre
	exon 19 or 20 mutations (DESTINY-Lung04)	
Dr. SO Ho	Anti-CD20 monoclonal antibodies versus cyclophosphamide for the treatment of anti-MDA5 positive dermatomyositis with interstitial lung disease: a randomized controlled trial	Prince of Wales Hospital
Dr. CHOW Kai-ming	Blood pressure control with thiazide diuretics in peritoneal dialysis patients with residual renal function	Prince of Wales Hospital
IQVIA RDS HONG KONG	Brightline-1: A phase II/III, randomized, open-label, multi-center study of BI 907828 compared to	Prince of Wales Hospital
LIMITED	Doxorubicin as first line treatment of patients with advanced dedifferentiated liposarcoma	
FORTUNE PHARMACAL	Clinical bioequivalence study on two Sitagliptin tablet 100mg formulations	Phase I Clinical Trial Centre, The
COMPANY LIMITED		Chinese University of Hong Kong

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
Dr. CHAN Ping-kwan	Clinical trial on antibiotic-lock in Tenckhoff catheter for relapsing and repeat peritonitis	Alice Ho Miu Ling Nethersole Hospital
PRA HEALTH SCIENCES (HONG	Combined phase 3, double-blind, randomized, placebo-controlled studies evaluating the efficacy and	Queen Mary Hospital
KONG) LIMITED	safety of Filgotinib in the induction and maintenance of remission in subjects with moderately to severely active Crohn's disease	
PRA HEALTH SCIENCES (HONG	Combined phase 3, double-blind, randomized, placebo-controlled studies evaluating the efficacy and	Tuen Mun Hospital
KONG) LIMITED	safety of Filgotinib in the induction and maintenance of remission in subjects with moderately to severely	
	active Crohn's disease	
PAREXEL INTERNATIONAL	daNIS-3: An open label, multi-centre, phase II platform study evaluating the efficacy and safety of NIS793	Prince of Wales Hospital
(HONG KONG) COMPANY	and other new investigational drug combinations with standard of care (SOC) anti-cancer therapy for the	
LIMITED	second line treatment of metastatic colorectal cancer (mCRC)	
PAREXEL INTERNATIONAL	daNIS-3: An open label, multi-centre, phase II platform study evaluating the efficacy and safety of NIS793	Queen Mary Hospital
(HONG KONG) COMPANY	and other new investigational drug combinations with standard of care (SOC) anti-cancer therapy for the	
LIMITED	second line treatment of metastatic colorectal cancer (mCRC)	
Dr. HUI S.C. David	Effect of long term Clarithromycin for prevention of exacerbations in non-cystic fibrosis bronchiectasis in Asian populations	Prince of Wales Hospital
Dr. SIM P.Y. Joycelyn	Efficacy and safety of adding asciminib to the standard-of-care for post allogenic hematopoietic stem-cell transplant (HSCT) maintenance in Philadelphia chromosome-positive B-cell acute lymphoblastic leukemia (Ph+ B-ALL) or blastic transformed CML (myeloid or lymphoid) (CML-BP)	Queen Mary Hospital
Dr. LEE Shui-shan	Efficacy of a meningococcal B vaccine against Neisseria gonorrhoeae infections among men who have sex with men: a randomised-controlled clinical trial	Prince of Wales Hospital
PAREXEL INTERNATIONAL (HONG KONG) COMPANY LIMITED	EPIK-B3: A phase III, multicenter, randomized, double- blind, placebo-controlled study to assess the efficacy and safety of Alpelisib (BYL719) in combination with Nab-Paclitaxel in patients with advanced triple negative breast cancer with either phosphoinositide-3-kinases catalytic subunit alpha (PIK3CA) mutation or phosphatase and tensin homolog protein (PTEN) loss without PIK3CA mutation	Queen Mary Hospital
PAREXEL INTERNATIONAL (HONG KONG) COMPANY LIMITED	EPIK-B3: A phase III, multicenter, randomized, double-blind, placebo-controlled study to assess the efficacy and safety of Alpelisib (BYL719) in combination with Nab-Paclitaxel in patients with advanced triple negative breast cancer with either phosphoinositide-3-kinase catalytic subunit alpha (PIK3CA) mutation or phosphatase and tensin homolog protein (PTEN) loss without PIK3CA mutation	Princess Margaret Hospital

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
PAREXEL INTERNATIONAL (HONG KONG) COMPANY LIMITED	EPIK-B3: A phase III, multicenter, randomized, double-blind, placebo-controlled study to assess the efficacy and safety of Alpelisib (BYL719) in combination with Nab-Paclitaxel in patients with advanced triple negative breast cancer with either phosphoinositide-3-kinase catalytic subunit alpha (PIK3CA) mutation or phosphatase and tensin homolog protein (PTEN) loss without PIK3CA mutation	Prince of Wales Hospital
PAREXEL INTERNATIONAL (HONG KONG) COMPANY LIMITED	EPIK-B4: A phase II, multicenter, randomized, open-label, active-controlled study to assess the safety and efficacy of Dapagliflozin + Metformin XR versus Metformin during treatment with Alpelisib (BYL719) in combination with Fulvestrant in participants with HR+, HER2-, advanced breast cancer with a PIK3CA mutation following progression or/after endocrine-based therapy	Queen Elizabeth Hospital
NOVOTECH CLINICAL RESEARCH (HONG KONG) LIMITED	Evaluation of safety and efficacy of the IBE-814 intravitreal implant in patients with diabetic macular oedema and macular oedema due to retinal vein occlusion	Prince of Wales Hospital
NOVOTECH CLINICAL RESEARCH (HONG KONG) LIMITED	Evaluation of safety and efficacy of the IBE-814 intravitreal implant in patients with diabetic macular oedema and macular oedema due to retinal vein occlusion	Grantham Hospital
Prof. MONTERO Barril David	Exercise-induced erythropoiesis: the mechanistic of angiotensin II	School of Public Health, The University of Hong Kong
Dr. KWOK Mei-kwun	Experimental triheptanoin treatment for a patient with pyruvate dehydrogenase complex deficiency	Hong Kong Children's Hospital
Dr. HUNG F.N. Ivan	FREEDOM COVID-19 anticoagulation strategy randomized trial	Queen Mary Hospital
SYNEOS HEALTH HONG KONG LIMITED		Queen Mary Hospital
Dr. YAN P.Y. Bryan	In-hospital initiation of Empagliflozin for the treatment of new-onset acute heart failure regardless of ejection fraction: A pilot study	Prince of Wales Hospital
PAREXEL INTERNATIONAL (HONG KONG) COMPANY LIMITED	KontRASt-02: A randomized, controlled, open label, phase III study evaluating the efficacy and safety of JDQ443 versus Docetaxel in previously treated subjects with locally advanced or metastatic KRAS G12C mutant non-small cell lung cancer	Hong Kong United Oncology Centre
Dr. WAN S.F. Rebecca	Letrozole in preventing recurrence of endometrioma following laparoscopic ovarian cystectomy	Princess Margaret Hospital
Dr. LAM Mei-ting	Letrozole in preventing recurrence of endometrioma following laparoscopic ovarian cystectomy	Kwong Wah Hospital / Queen Elizabeth Hospital
Dr. WONG Ka-yan	Letrozole in preventing recurrence of endometrioma following laparoscopic ovarian cystectomy	Pamela Youde Nethersole Eastern Hospital

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
Dr. YAM C.S. Jason	Low-level RED light-low concentration Atropine for myopia progression study (RED-LAMP)	CUHK Eye Centre, Hong Kong Eye Hospital
Dr. KARMAKAR Manoj Kumar	Minimum effective local anaesthetic volume of 0.5% Levobupivacaine required for ultrasound guided superior trunk block	Prince of Wales Hospital
Dr. KARMAKAR Manoj Kumar	Minimum effective local anaesthetic volume of 1:1 mixture of 2% lidocaine with 5ug/ml of epinephrine and 0.5% levobupivacaine required for ultrasound guided selective trunk block: a dose finding study	Prince of Wales Hospital
Dr. CHAN C.W. Shirley	Open-label, non-inferiority randomized controlled trial of dose reduction of biologic therapy in axial spondyloarthritis (SpA)	Queen Mary Hospital
BRISTOL-MYERS SQUIBB PHARMA (HK) LIMITED	Open-label, randomized trial of Nivolumab (BMS-936558) plus Pemetrexed/Platinum or Nivolumab plus Ipilimumab (BMS-734016) vs Pemetrexed plus Platinum in stage IV or recurrent non-small cell lung cancer (NSCLC) subjects with epidermal growth factor receptor (EGFR) mutation who failed 1L or 2L EGFR tyrosine kinase inhibitor therapy	Queen Elizabeth Hospital
BRISTOL-MYERS SQUIBB PHARMA (HK) LIMITED	Open-label, randomized trial of Nivolumab (BMS-936558) plus Pemetrexed/Platinum or Nivolumab plus Ipilimumab (BMS-734016) vs Pemetrexed plus Platinum in stage IV or recurrent non-small cell lung cancer (NSCLC) subjects with epidermal growth factor receptor (EGFR) mutation who failed 1L or 2L EGFR tyrosine kinase inhibitor therapy	Queen Mary Hospital
BRISTOL-MYERS SQUIBB PHARMA (HK) LIMITED	Open-label, randomized trial of Nivolumab (BMS-936558) plus Pemetrexed/Platinum or Nivolumab plus Ipilimumab (BMS-734016) vs Pemetrexed plus Platinum in stage IV or recurrent non-small cell lung cancer (NSCLC) subjects with epidermal growth factor receptor (EGFR) mutation who failed 1L or 2L EGFR tyrosine kinase inhibitor therapy	Prince of Wales Hospital
Dr. SINGH G.H. Harry	Phase 2 study to assess the safety and efficacy of Bomedemstat (IMG-7289) in combination with Ruxolitinib in patients with myelofibrosis	Queen Mary Hospital
PPD DEVELOPMENT (HK) LIMITED	Phase 2a, randomized, double-blind, placebo-controlled trial of PRV-3279 evaluation in lupus (PREVAIL-2)	Tuen Mun Hospital
PPD DEVELOPMENT (HK) LIMITED	Phase 2a, randomized, double-blind, placebo-controlled trial of PRV-3279 evaluation in lupus (PREVAIL-2)	Queen Mary Hospital
PPD DEVELOPMENT (HK) LIMITED	Phase 3, multicenter, randomized, double-masked, placebo-controlled study to evaluate the safety and efficacy of Tinlarebant in the treatment of Stargardt disease in adolescent subjects	Hong Kong Eye Hospital
Dr. CHUA T. Gilbert	Prevalence, genetic risk factor and the use of intradermally-administered inactivated influenza vaccine with topical Imiquimod in influenza vaccine non-responsive children	Queen Mary Hospital
Dr. CHEUK K.L. Daniel	Quadruple immunotherapy for paediatric patients with relapsed or refractory neuroblastoma	Hong Kong Children's Hospital
PAREXEL INTERNATIONAL (HONG KONG) COMPANY LIMITED	Randomised, double-blind, placebo-controlled and parallel dose group trial to investigate efficacy and safety of multiple doses of oral BI 690517 over 14 weeks, alone and in combination with Empagliflozin, in patients with diabetic and non-diabetic chronic kidney disease	Queen Mary Hospital

*This list includes those certificates issued via manual application since January 2022. For application for Certificate for Clinical Trial/Medicinal Test via mandatory Electronic Clinical Trial System (e-CTS) since 30 June 2022, please refer to the website at: https://www.drugoffice.gov.hk/CTEnquiry

Certificate holder	Protocol Title	Site(s)
PAREXEL INTERNATIONAL	Randomised, double-blind, placebo-controlled and parallel dose group trial to investigate efficacy and	Prince of Wales Hospital
(HONG KONG) COMPANY	safety of multiple doses of oral BI 690517 over 14 weeks, alone and in combination with Empagliflozin, in	
LIMITED	patients with diabetic and non-diabetic chronic kidney disease	
Dr. LU Evelyn Ruoyun	Randomized controlled trial comparing the efficacy and safety of lower dose mydriatics over standard	Queen Mary Hospital
	dose mydriatics for pupil dilation in the retinopathy of prematurity examination	
SYNEOS HEALTH HONG KONG	Randomized, double-blind, placebo-controlled phase 2 study to evaluate the efficacy and safety of	Queen Mary Hospital
LIMITED	Maralixibat in the treatment of subjects with biliary atresia after hepatoportoenterostomy	
IQVIA RDS HONG KONG	Randomized, open-label, phase 3 study of Acapatamab vs standard of care in metastatic castration-	Prince of Wales Hospital
LIMITED	resistant prostate cancer (CAPTIVATE)	
PAREXEL INTERNATIONAL	SOAR, Interventional phase II single-arm study to assess efficacy and safety of Eltrombopag combined	Queen Mary Hospital
(HONG KONG) COMPANY	with Cyclosporine as first line therapy in adult patients with severe acquired aplastic anemia	
LIMITED		
HONGKONG TIGERMED CO.,	The BURAN study of Buparlisib (AN2025) in combination with Paclitaxel compared to Paclitaxel alone, in	Queen Mary Hospital
LIMITED	patients with recurrent or metastatic head and neck squamous cell carcinoma	
Dr. LUI T.W. David	The effect of Simvastatin on bone density in postmenopausal women with type 2 diabetes: a double-blind,	Queen Mary Hospital
	randomized, active-comparator (Ezetimibe) controlled clinical trial	
Dr. TAN C.B. Kathryn	The effect of Zoledronate on the prevention of pneumonia in hip fracture patients (Zoo-P): an open-label,	Caritas Medical Centre
	pragmatic, randomised controlled trial	
Dr. TAN C.B. Kathryn	The effect of Zoledronate on the prevention of pneumonia in hip fracture patients (Zoo-P): an open-label,	United Christian Hospital
	pragmatic, randomised controlled trial	
Dr. TAN C.B. Kathryn	The effect of Zoledronate on the prevention of pneumonia in hip fracture patients (Zoo-P): an open-label,	Prince of Wales Hospital
	pragmatic, randomised controlled trial	
Dr. CHAN W.S. Agnes	The use of JAK-1/3 inhibitor (Tofacitinib) in Stevens-Johnson Syndrome and toxic epidermal necrolysis - a	Prince of Wales Hospital
	pilot study	
ROCHE HONG KONG LIMITED	Tumor-agnostic precision immuno-oncology and somatic targeting rational for you (TAPISTRY) phase II	Hong Kong Children's Hospital
	platform trial	
Dr. Ong T.Y. Michael	Vitamin D as an intervention for improving quadriceps muscle strength in patients after anterior cruciate	Prince of Wales Hospital
	ligament reconstruction: a randomized, double-blinded, placebo-controlled clinical trial	